

Product datasheet

Specifications



Easergy P3 accessory VIO12ADSE 48-230V RTD module 12 RTD inputs 4/4 mA in/out

REL52814

Main

Range of product	Easergy P3
Product or component type	Analog temperature module
Mounting support	Wall mounted 35 mm symmetrical DIN rail
[Us] rated supply voltage	48...230 V AC/DC

Complementary

Communication port support	Fiber optic Serial link
Number of inputs	12 RTD (temperature sensor) 1 PTC (temperature sensor)
Temperature probe type	Pt 100, Ni 100, Ni 120, Cu 10
Analogue input number	4
Analogue output number	4

Environment

Ambient air temperature for operation	0...55 °C
---------------------------------------	-----------


Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.500 cm
Package 1 Width	13.300 cm
Package 1 Length	33.000 cm
Package 1 Weight	1.242 kg
Unit Type of Package 2	S04
Number of Units in Package 2	8
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	10.702 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Functional View



Recommended replacement(s)